

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	sound pressure level calibrating sound pressure level sensor pistonphone piston adjustable pistonphone volume producing sound pressure selected excitation frequency high pressure adapter connected output pistonphone volume high pressure adapter tube formed resonator length adapted excitation frequency pistonphone amplify sound pressure produced pistonphone volume expanded adapter opening sealing ring soundproof connection sound pressure level sensor calibrated	US-PGPU B	AND	ON	2007/07/11 16:10
L2	47	73/1.82.ccls.	US-PGPU B	AND	ON	2007/07/11 16:10
L3	0	1 and 2	US-PGPU B	AND	ON	2007/07/11 16:29
L4	1	("6167985").PN.	USPAT	OR	OFF	2007/07/11 17:02
L5	321	(73/1.82).CCLS.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/07/11 17:09

## EAST Search History

L6	36562	(sound acoustic acoustics sonic) near3 (pressure pressured pressuring pressurise pressurize)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:03
L7	298876	(level near3 (sensor senser detector detector sensing sense detection detecting detected))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:04
L8	662	6 same 7	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:04
L9	31	8 and resonator	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:04
L10	32	pistonphone or piston-phone or (piston near2 phone)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:10

## EAST Search History

L11	30	10 and pressure	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:10
L12	20	11 and sound	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:10
L13	17	12 not (5 or 9)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/07/11 17:10